## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Currently Amended) A method of identifying an edge switch of a packet based communication network, said edge switch having a port to which a specified user is connected, the method comprising the steps of:
- (a) sending a unicast request packet from a policy server to the specified user, the unicast request packet including destination address data and a selected identification code;
  - (b) detecting said selected identification code at said port;
  - (c) diverting the packet to a management agent for the switch; and
  - (d) returning to the server an identification of the switch and said user.
- 2. (Currently Amended) A method according to as in claim 1 further and including:

causing said specified user to reply to said unicast request packet by means of a reply packet including said identification code; and

detecting at said edge switch the identification code in said reply packet.

- 3. (New) A method of identifying an edge switch of a packet based communication network, said edge switch having a port to which a specified user is connected, the method comprising:
- (a) sending a unicast request packet from a policy server to the specified user, the unicast request packet including destination address data of the specified user and a selected identification code;
- (b) responding at said specified user to send a reply packet including said destination address data and said selected identification code;
  - (c) parsing said reply packet to detect said selected identification code;
- (d) on detection of said selected identification code by said switch, diverting said reply packet to a management agent for the switch; and
- (e) returning to the server from said switch an identification of the switch and said user.
- 4. (New) A method of identifying an edge switch of a packet –based communication network, said edge switch having a port to which a specified user is connected, the method comprising:
  - (a) obtaining the internet protocol (IP) network address of said specified user;
- (b) sending a unicast request packet from a policy server to the specified user, the unicast request packet including as a destination address said IP network address and including a selected identification code and payload;

MURPHY Appl. No. 09/694,673 June 15, 2004

- (c) responding at said specified user to said unicast packet, by returning a reply packet including said IP network address, said identification code and said payload;
  - (d) detecting said selected identification code at said port of said edge switch;
  - (e) diverting said reply packet to a management agent for said edge switch;
  - (f) modifying said payload; and
- (g) returning to said policy server said reply packet including said payload as modified, an identification of said edge switch and an identification of said specified user.